


■ **Features**

- Light up LED without wires
- Built-in chip LED (LxWxT) of 1.6 x0.8 x 0.6mm
- Small size Ø4.8mm x H5.0mm
- No batteries needed
- 


■ **Applications**

- Models
- Toys
- Games & etc.

■ **Photo**




■ **Outline Dimension**









■ **Absolute Maximum Rating** (Ta=25°C)

Item	Symbol	Value	Unit
Power Dissipation	P <sub>D</sub>	102	mW
Operating Temperature	T <sub>opr</sub>	-40 ~ +85	°C
Storage Temperature	T <sub>stg</sub>	-40 ~ +85	°C

■ **Directivity**



■ **Electrical -Optical Characteristics** (Ta=25°C)

Part Number	Color			I <sub>v</sub> (mcd)			λD(nm)			2θ1/2(deg)
				Min.	Typ.	Max.	Min.	Typ.	Max.	Typ.
				I <sub>F</sub> =20mA						
LP-WM43-M5W	Warm White	M5		-	500	-	-	CCT:3000K	-	120
LP-WM43-W5W	White	W5		-	550	-	-	CCT:10000K	-	120
LP-WM43-B5W	Blue	B5		-	100	-	-	470	-	120
LP-WM43-G5W	Pure Green	G5		-	600	-	-	525	-	120
LP-WM43-Y5W	Yellow	Y5		-	120	-	-	590	-	120
LP-WM43-R5W	Red	R5		-	120	-	-	625	-	120

\*1 Tolerance of measurements of chromaticity coordinate is ±10%

\*2 Tolerance of measurements of dominant wavelength is ±1nm

\*3 Tolerance of measurements of luminous intensity is ±15%